

Walkable African cities: Lessons from Addis Ababa and Kisumu



Addis Ababa NMT Strategy

 Lack of walkways & cycle tracks on major streets at 35944

20


- Inadequate walkway width
- Poor maintenance
 - Street lights

•


Road safety



Footpath width




Footpath clear width




Presence of obstructions



Footpath condition & vending activity







Footpath condition



Shade & lighting







Policy documents



Addis Ababa Non-Motorised Transport Strategy

NMT Strategy Implementation Plans, 2019-21 and 2022-24 Addis Ababa Cycle Network Plan, 2023-2032



10-year implementation targets

Initiative	10-year goal
Pedestrian network	• 600 km of streets have a continuous pedestrian realm
Bicycle network	• 200 km of streets have cycle tracks
Bicycle sharing	• 10,000 cycles
Public transport access	 Safe at-grade crossings with signals or traffic calming at all BRT & LRT stations
Parking management	 30,000 parking spaces managed through an IT-based parking system
Vendor management	Comprehensive vending management system implemented
Street design standards	Revised geometric design standards prioritise pedestrians
Review of building control & planning regulations	 Regulations reformed to encourage pedestrian friendly built form and compact development along rapid transit lines
Outreach & communications	 Regular open streets events Active marketing campaigns transform image of NMT City residents have access to information about on-going projects






Street lights





Cycle network plan

- Under design and construction: 80.5 km
- Planned cycle network:
 - Phase 1: 150 km
 - Phase 2: 205 km
 - Phase 3: 364 km





Pilot cycle track on Churchill Ave




80.5 km of walkway and cycle tracks currently under construction





Scale-up through federal policies & standards



Ethiopia NMT Strategy, 2020-29



Ethiopia Urban Street Design Manual



Dire Dawa





Adama






Kisumu Sustainable Mobility Plan




How Kisumu residents travel



Based on ITDP survey of 2,762 households in Kisumu




Pedestrians per hour





Cyclists per hour





Kibos Rd



Major streets lack safe crossings






Footpath presence

Footpaths


Footpaths ≥ 2 m

nu By





Street lighting





10-year targets

Goal	Targets
Increased mode share of walking and cycling	 Mode share of NMT remains at or above 55 percent of trips. Women constitute 50 percent of cyclists.
Increased mode share for public transport	 Public transport constitutes 80 percent of all motorised trips At least 90% of residents live within 500 m of frequent public transport 100% of public transport vehicles operate under an improved business model
Reduction in the use of personal motor vehicles (PMV)	 Vehicle kilometers travelled (VKT) by PMVs are no more than 10% above 2020 levels
Improved road safety	• NMT fatalities reduced by 80 percent below 2020 levels.
Improved air quality	 WHO ambient air quality norms are met 350 days a year. Greenhouse gas emissions within targets for Kenya's NCCAP.



NMT improvements

Complete pedestrian realm: 100 km

Cycle tracks: 31 km

Greenway: 3.7 km

KeNHA retrofits: 28 km

School zone safety improvements





Cycle network





Lakefront greenway





Kisumu Triangle project



0

CAMON

next level camera evolution

TECHO TECHO TECHO

ix

Tabletop crossings

Tellom

oppo

OPPO

BROTH LOCATION

a contraction of a state of a sta

Tay

TECNO

Infinix

ALI INVESTMENT

Infin

TECNO MODIL

TECNO

Bollards to prevent parking encroachments

TDP


AM MAC







Publications









KISUMU SUSTAINABLE MOBILITY PLAN



FEB 2021





Thank you

